

UNIQUE PEAT-SAPROPEL FORMULA

PLANT BIOSTIMULANT WITH HIGH CONTENT OF HUMIC AND FULVIC ACIDS

NOVOTERRA

- Humic & Fulvic Acids
 - Water-Soluble Humates
- Essential Amino Acids
- Vitamins & Minerals





BALANCES BIOCOMPOSITION



BOOSTSPLANT GROWTH





5L

NOVOTERRA

APPLICATION METHODS & DOSAGES

Transform your garden, farm, or landscaping project with **NOVOTERRA** and witness your plants thrive like never before.

Embrace the power of nature with our premium natural peat-sapropel concentrate, ensuring that your soil remains fertile and productive for years to come.

- Effective Soil Remediation
- Better Water Retention
- Enhanced Soil Structure
- Increased Microbial Activity
- 🗸 Improved Nutrient Absorption
- Boosted Plant Growth

SHAKE WELL BEFORE USE!

Exp. Date: 24 months, 12 months after opening.

Storage conditions: 0°C to +40°C, out of direct sunlight. Store out of reach of children. In case of freezing, properties are preserved.

Precautions: Wear gloves Wash hands with soap and water ofter work. Avoid contact with eyes, if contact occurs, flush with water. If swallowed, seek medical attention immediately. Store separately from food. Use only for the intended purpose.

Mfa. date:

Pre-seeding soil preparation and postharvest soil treatment: Dilute 1:200, or tank-

mix with pre-emergent. Consumption: 2 l/ha.

Treatment of seeds and bulbs: Spraying: dilute 1:10 and spray. Soaking: dilute 1:20 and soak for 3-5 hours depending on the size of the seed. Consumption: 21/ton of seeds or bulbs.

Irrigation of trees, shrubs, and indoor plants:Dilute 1:100 and water once every two weeks.

Dilute 1:100 and water once every two weeks Consumption for trees: 11 for 30-100 trees (10-30 ml/tree) depending on the size and age of the trees. Soaking of seedling root system:

Dilute 1:20 and soak for 1-5 hours depending on the size of the root.

Treatment of shrub and tree seeds:

Dilute 1:20 and soak for 12-36 hours depending on the size of the seed.

Treatment of fruit trees (foliar spray):

Dilute 1:200. Consumption: 2 l/ha. Application on trees just before flowering, second application approximately 4 weeks after the first one, third application a month before harvest.

CHEMICAL COMPOSITION & PHYSICAL PROPERTIES

Water-Soluble Humates 6 g/l
Micro Elements Mn, Mq, Cu, Zn, Fe

Macro Elements P₂O₅, K₂O, CaO, MgO

Essential Amino Acids Asparagine, Threonine, Serine, Glutamine, Valine,

Glycine, Leucine, Isoleucine, Phenylalanine, Methionine, Proline, Tyrosine, Lysine, Alanine, Histidine, Arginine

 Vitamins
 A, B1, B2, B3, B5, B6,

 Mass Fraction
 B9, B12, E, C, D, P

of Organic Matter ≥ 85%

Density ≥ 1,05 - 1,1 (g/cm3)







precofert.cz

